



BOSCH

Invented for life



**Series 8**
Built-in oven, Black
HBG7741B1B**Features**

- Oven with 14 heating methods: 3D Hotair, conventional top and bottom heat, Hotair grilling, full width variable grill, half width grill, pizza function, bottom heat, low temperature cooking, defrost, plate warming, keep warm, Hotair gentle, Conventional heat gentle, Air fry
- Temperature range 30 °C - 275 °C
- Cavity volume: 71 litre capacity

Level independent telescopic rails

- 5 shelf positions
- Available as an additional accessory, pyrolytic proof

Design

- Touch controls With Steel Trim
- Digital Control Ring
- Cavity inner surface: enamel anthracite

Cleaning

- Pyrolytic self-cleaning function
- hydrolyse program
- Full glass inner door

Programmes/functions

- Oven Assistant with Voice Control
- RF61

**Series 4**
Built-in oven with added steam function, Stainless steel
HQA574BS3B**Features**

- Oven with 8 heating methods: 3D Hotair, conventional top and bottom heat, Hotair grilling, full width variable grill, pizza function, bottom heat, Hotair gentle, hot air and steam combined
- Temperature range 50 °C - 275 °C
- Cavity volume: 71 litre capacity

Level independent telescopic rails

- 5 shelf positions
- Available as an additional accessory

Design

- Rotary dial, Retractable control dials, round With Steel Trim
- Cavity inner surface: enamel anthracite
- Extra large capacity oven

Cleaning

- Pyrolytic self-cleaning function
- Full glass inner door

Programmes/functions

- LED-display control (red)
- Electronic clock timer
- Heating-up indicator
- AutoPilot

**Series 8**
Built-in oven, Black
HBG7341B1B**Features**

- Oven with 14 heating methods: 3D Hotair, conventional top and bottom heat, Hotair grilling, full width variable grill, half width grill, pizza function, bottom heat, low temperature cooking, defrost, plate warming, keep warm, Hotair gentle, Conventional heat gentle, Air fry
- Temperature range 30 °C - 275 °C
- Cavity volume: 71 litre capacity

Level independent telescopic rails

- 5 shelf positions
- Available as an additional accessory

Design

- Touch controls With Steel Trim
- Digital Control Ring
- Cavity inner surface: enamel anthracite

Cleaning

- EcoCleanDirect : back panel
- hydrolyse program
- Full glass inner door

Programmes/functions

- Oven Assistant with Voice Control
- RF61

**Series 4**
Built-in oven with added steam function, Black
HQA534BB3B**Features**

- Oven with 8 heating methods: 3D Hotair, conventional top and bottom heat, Hotair grilling, full width variable grill, pizza function, bottom heat, Hotair gentle, hot air and steam combined
- Temperature range 50 °C - 275 °C
- Cavity volume: 71 litre capacity

Level independent telescopic rails

- 5 shelf positions
- Available as an additional accessory

Design

- Rotary dial, Retractable control dials, round With Steel Trim
- Cavity inner surface: enamel anthracite
- Extra large capacity oven

Cleaning

- EcoCleanDirect : back panel
- Full glass inner door

Programmes/functions

- LED-Display Control (Red)
- Electronic clock timer
- Heating-up indicator
- Automatic start

**Series 2**
Built-in oven, Black
HHF113BA0B**Design**

- LED-Display Control (Red)
- Rotary dial, round With Steel Trim
- Interior halogen light
- Straight bar handle

Features

- Control panel lock
- Automatic start
- Electronic clock timer
- Integral cooling fan
- 5 shelf positions
- Cavity volume: 66 litre

Cleaning

- Full glass inner door

Programmes/functions

- Oven with 4 cooking functions: heating methods: 3D Hotair, Hotair grilling, Hotair gentle, full width variable grill

Accessories

- 1 x universal pan, 1 x combination grid, 1 x insert grid

Performance/technical information**Series 2**
Built-in double oven
MHA133BR0B**Design**

- LED-Display Control (Red)
- Rotary dial, round With Steel Trim
- Straight bar handle
- Interior halogen light
- Door hinge small cavity: bottom
- Door hinge big cavity: Drop down door
- Electronic clock timer
- Automatic start
- Heating-up indicator

- Cavity volume: 76 l
- Oven with 2 heating methods: 3D Hotair, Hotair gentle

- Control panel lock


- 5 shelf positions

- EcoCleanDirect : back panel

- Full glass inner door

- Cavity volume: 34 litre capacity

- Oven with 3 heating methods: conventional top/bottom heat, Large-area grill, Small area grill
- Full glass inner door
- Cavity (inner surface) top: Enamel grey



Series 8
Built-in compact oven with microwave function, Black
CMG7241B1B

Features

- Compact oven with microwave with 16 heating methods: conventional top and bottom heat, full width variable grill, half width grill, bottom heat, plate warming, Conventional heat gentle, Circulating air, Microwave, Circulating air, Conventional heat, Full width grill, Half width grill, Hot air grilling
- Max. Power: 900 W; 5 Microwave power settings (90 W, 180 W, 360 W, 600 W, boost) with Inverter (MW)
- Intelligent microwave inverter technology: For optimised results maximum output power will be regulated to 600 W when used in longer operation for gentler cooking.
- Temperature range 30 °C - 230 °C
- Cavity volume: 45 litre capacity

Level independent telescopic rails

- 3 shelf positions

Design

- Touch controls With Steel Trim
- Digital Control Ring
- Cavity inner surface: enamel anthracite

Cleaning

- hydrolyse program



Series 4
Built-in microwave oven with hot air, Black
CMA563MB0B

Design

- LCD Display, red display
- Rotary dial, Retractable control dials, Touch controls, round, Start button With Steel Trim
- Electronic clock timer
- Cavity inner surface: stainless steel
- User-friendly electronics: extremely easy and comfortable operation
- LED light
- 36 cm Metal turntable
- Drop down door
- Touch key operation

Features

- Straight bar handle
- AutoPilot, 15
- Control panel lock
- Automatic safety switch off
- Door contact switch
- Integral cooling fan
- Stainless-steel fan

Accessories

- 1 x grid high 1 x grid flat 1 x turntable



Series 4
Built-in microwave, Stainless steel
BFL523MS0B

Design

- LED Display, red display
- Side opening door, left hinged
- 25.5 cm Glass turntable
- Cavity inner surface: stainless steel
- Electronic clock timer
- Rotary dial, Retractable control dials, Touch controls, round, Start button With Steel Trim
- Touch key operation

Features

- Automatic safety switch off
- Door contact switch
- AutoPilot, 7
- LED light
- Integral cooling fan
- Electronic open button

Programmes/functions

- Maximum microwave power level: 800 W and the following options: 180 W, 360 W, 600 W, 800 W, 90 W
- 4 defrost and 3 cooking programmes in microwave function
- 1 memory setting



Series 4
Built-in microwave, Black
BFL523MB0B

Design

- LED Display, red display
- Side opening door, left hinged
- 25.5 cm Glass turntable
- Cavity inner surface: stainless steel
- Electronic clock timer
- Rotary dial, Retractable control dials, Touch controls, round, Start button With Steel Trim
- Touch key operation

Features

- Automatic safety switch off
- Door contact switch
- AutoPilot, 7
- Electronic open button
- LED light
- Integral cooling fan

Programmes/functions

- Maximum microwave power level: 800 W and the following options: 180 W, 360 W, 600 W, 800 W, 90 W
- 4 defrost and 3 cooking programmes in microwave function
- 1 memory setting



Series 4
Induction hob with integrated ventilation system, surface mount without frame
PVS81B16E

Flexibility of cooking zones


- Combi zone : use bigger cookware by connecting two classic cooking zones into one large zone.
- Cooking zone front left: 210 mm, 190 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone rear left: 190 mm, 210 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone rear right: 180 mm, 1.8 KW (max power 3.1 KW)
- Cooking zone front right: 210 mm, 2.2 KW (max. power 3.7 KW)

Usage convenience

- TouchSelect: control the power with imprinted +/- touch buttons.
- Variable 17-stage power settings for each zone: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).
- Switch-off timer: switches off the cooking zone at the end of the time set (e.g. for boiled eggs).
- Count-down timer: an alarm sounds at the end of the time set (e.g. for pasta).

Time saving & efficiency

- PowerBoost function for all zones : boil water faster thanks to 50% more energy than at the highest



Series 4
Induction hob with integrated ventilation system, surface mount without frame
PVS611B16E

Flexibility of cooking zones


- Combi zone : use bigger cookware by connecting two classic cooking zones into one large zone.
- Cooking zone front left: 190 mm, 210 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone rear left: 190 mm, 210 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone rear right: 145 mm, 1.4 KW (max power 2.2 KW)
- Cooking zone front right: 210 mm, 2.2 KW (max. power 3.7 KW)

Usage convenience

- TouchSelect: control the power with imprinted +/- touch buttons.
- Variable 17-stage power settings for each zone: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).
- Switch-off timer: switches off the cooking zone at the end of the time set (e.g. for boiled eggs).
- Count-down timer: an alarm sounds at the end of the time set (e.g. for pasta).

Time saving & efficiency

- PowerBoost function for all zones : boil water faster thanks to 50% more energy than at the highest



Series 6
Induction hob, surface mount without frame
PIV831HB1E

- 80 cm: space for 5 pots or pans.

Flexibility of cooking zones

- Cooking zone front left: 180 mm, 2 KW (max. power 3.1 KW)
- Cooking zone rear left: 145 mm, 1.6 KW (max. power 2.2 KW)
- Cooking zone middle: 240 mm, 2.5 KW (max. power 3.7 KW)
- Cooking zone rear right: 145 mm, 1.6 KW (max power 2.2 KW)
- Cooking zone front right: 210 mm, 2.5 KW (max. power 3.7 KW)

Usage convenience

- Multitouch: directly control the power with the imprinted touch bar.
- Favourite Button: directly access favourite functions with a configurable button (available with connected Home Connect account).
- Variable 17-stage power settings for each zone: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).
- Keep warm function: via HC app/MyButton: Keep dishes warm at preset low power level.
- Switch-off timer: switches off the cooking zone at the end of the time set (e.g. for boiled eggs).
- alternative: an alarm sounds at the end of the time set (e.g. for pasta).
- Sound volume adaptable to personal preference and needs.

Time saving & efficiency

- PowerBoost function for all zones



Series 4
Induction hob, surface mount without frame
PIE631BB5E

- 60 cm: space for 4 pots or pans.

Flexibility of cooking zones

- Cooking zone front left: 180 mm, 1.8 KW (max. power 3.1 KW)
- Cooking zone rear left: 180 mm, 1.8 KW (max. power 3.1 KW)
- Cooking zone rear right: 145 mm, 1.4 KW (max power 2.2 KW)
- Cooking zone front right: 210 mm, 2.2 KW (max. power 3.7 KW)

Usage convenience

- TouchSelect: control the power with imprinted +/- touch buttons.
- Variable 17-stage power settings for each zone: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).
- Switch-off timer: switches off the cooking zone at the end of the time set (e.g. for boiled eggs).
- Count-down timer: an alarm sounds at the end of the time set (e.g. for pasta).

Time saving & efficiency

- PowerBoost function for all zones : boil water faster thanks to 50% more energy than at the highest standard level.
- QuickStart function: when switching on, the hob automatically selects the cooking zone with cookware (when placed on a zone whilst the hob is off).



Series 2
Induction hob, surface mount without frame
PUG61RAASB

Flexibility of cooking zones

- 60 cm: space for 4 pots or pans.
- Cooking zone front left: 145 mm, 1.4 KW
- Cooking zone rear left: 180 mm, 1.8 KW (max. power 3.1 KW)
- Cooking zone rear right: 145 mm, 1.4 KW
- Cooking zone front right: 180 mm, 1.8 KW

Usage convenience

- TouchSelect Basic: control the power with imprinted +/- touch buttons.
- Variable 9-stage power settings for each zone: precisely adapt the heat with 9 power levels.



Time saving & efficiency

- PowerBoost function in the front left zone : boil water faster thanks to 50% more energy than at the highest standard level.
- QuickStart function: when switching on, the hob automatically selects the cooking zone with cookware (when placed on a zone whilst the hob is off).
- Quick Stop: quickly switch off a cooking zone with one longer touch.

Design

- Frameless design

Safety



Series 2
Electric hob, surface mount without frame
PK611CA3E

Flexibility of cooking zones

- Cooking zone front left: 145 mm, 1.2 KW
- Cooking zone rear left: 210 mm, 2.2 KW
- Cooking zone rear right: 145 mm, 1.2 KW
- Cooking zone front right: 180 mm, 2 KW

Usage convenience

- Sword knob: control the power with mounted dials.
- Variable 9-stage power settings for each zone: precisely adapt the heat with 9 power levels.

Design

- 60 cm: space for 4 pots or pans.
- Frameless design

Safety

- Residual heat indicator for each zone: indicates which cooking zones are still hot.

Installation

- Dimensions of the product (HxWxD mm): 46 x 592 x 522
- Required niche size for installation (HxWxD mm): 46 x 560 x (490 - 500)
- Min. worktop thickness: 16 mm
- Connected load: 6.6 KW

Series 4
Wall-mounted cooker hood, Matt black
DWB95CC60B

Design:

- Box design
- wall-mounted
- Suitable for ducted or recirculating operation

Core Features:

- Capacitor energy efficient
- 2 x LED 1.5W
- Colour Temperature: 3500 K
- Light Intensity: 265 lux
- 3 metal grease filter(s).

Comfort Features:

- Push button control for extractor speeds and light
- 3 power levels

Cleaning Comfort:

- Easy to clean smooth surfaces and materials.
- Removable metal grease filters dishwasher-safe
- Coated surfaces for less fingerprint sensitivity

Exhaust Mode:

- According to EN 61591 and EN/ IEC 60704-2-13 your appliance can achieve the following values in exhaust mode:
Speed 1: extraction rate 361 m³/h; noise level 57 dB(A) re1pW

Series 4
Wall-mounted cooker hood, Matt black
DWB65CC60B

Design:

- Box design
- wall-mounted
- Suitable for ducted or recirculating operation

Core Features:

- Capacitor energy efficient
- 2 x LED 1.5W
- Colour Temperature: 3500 K
- Light Intensity: 293 lux
- 2 metal grease filter(s).

Comfort Features:

- Push button control for extractor speeds and light
- 3 power levels

Cleaning Comfort:

- Easy to clean smooth surfaces and materials.
- Removable metal grease filters dishwasher-safe
- Coated surfaces for less fingerprint sensitivity

Exhaust Mode:

- According to EN 61591 and EN/ IEC 60704-2-13 your appliance can achieve the following values in exhaust mode:
Speed 1: extraction rate 361 m³/h; noise level 57 dB(A) re1pW



Series 2
Telescopic cooker hood, Silver metallic
DFM063W57B

Design:

- Telescopic hood
- Installation Installation: Cupboard 60 cm
- Suitable for ducted or recirculating operation

Core Features:

- Capacitor motor
- 2 x 1,5W LED
- Colour Temperature: 3500 K
- Light Intensity: 131 lux
- 2 metal grease filter(s).

Comfort Features:

- Rocker switch control for extractor speeds and light
- 2 power levels

Cleaning Comfort:

- Removable metal grease filters dishwasher-safe

Performance Exhaust:

- Energy Efficiency Class: C (at a range of energy efficiency classes from A+++ to D)
- Average Energy Consumption: 43.5 kWh/year*
- Blower Efficiency Class: D*
- Lighting Efficiency Class: A*



Series 2
built-in fridge-freezer with freezer at bottom, sliding hinge
KIN85NSE0G

Performance and Consumption

- EU19_EEK_D: E
- Total Volume : 249 l
- Annual Energy Consumption: 239 kWh/a
- Noise Level : 39 dB

Functions

- Bright interior LED fridge light
- Built-in fridge-freezer

Design features

- NoFrost freezer, never have to defrost ever again
- EU19_Fast freezer facility_D: yes
- LED electronic control
- SuperCool function
- Optical and acoustic door open alarm
- Automatic defrost fridge

Design features

- 3 safety glass shelves of which 2 are height adjustable
- Door shelves in fridge door: 1 large and 1 small

Freshness System

- 1 MultiBox - Transparent drawer with a rippled bottom, ideal for storing fruits and vegetables



Series 4
built-in fridge-freezer with freezer at bottom, sliding hinge
KIV86VSE0G

- KIV86VSE0G
- easy Installation

Functions

- Bright interior LED fridge light
- SuperFreezing function with automatic deactivation
- Optical and acoustical door open warning

Design features

- LED electronic control

Design features

- 4 safety glass shelves in fridge compartment of which 3 are height adjustable
- 1 removable door storage compartments.
- 3 door bins

Freshness System

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer

Food freshness system

- LowFrost - less ice creation and therefore quicker defrosting
- 3 transparent freezer drawers, including 1 BigBox

Dimension and installation



Series 2
built-in fridge-freezer with freezer at bottom, sliding hinge
KIV87NSE0G

Performance and Consumption

- easy Installation
- EU19_EEK_D: E
- Total Volume : 270 l
- Annual Energy Consumption: 216 kWh/a
- EU19_Fast freezer facility_D: yes
- Noise Level : 35 dB

Functions

- Bright interior LED fridge light

Design features

- LED electronic control
- SuperCool function
- SuperFreeze functions with automatic deactivation
- Optical and acoustical door open warning

Design features

- Net Fridge Volume : 200 l
- 4 door bins

Freshness System

- Net Freezer Volume : 70 l

Series 2
built-in fridge, sliding hinge
KIR81NSE0G

Performance and Consumption

- EU19_EEK_D: E
- Total Volume : 310 l
- Annual Energy Consumption: 114 kWh/a
- Climate Class: SN-ST
- Noise Level : 35 dB

Functions

- Bright interior LED fridge light

Design features

- LED electronic control
- Optical and acoustic door open alarm
- SuperCool function
- Automatic defrost fridge
- Easy clean interior

Design features

- Net Fridge Volume : 310 l
- 7 safety glass shelves in fridge compartment of which 5 are height adjustable
- 5 door bins

Freshness System

- 2 MultiBox drawers

Series 4
built-in freezer, flat hinge
GIN81VEE0G

- Full frost free, Built-in upright-freezer (> 90 cm height)
- Fixed hinge

Performance and Consumption

- EU19_EEK_D: E
- Total Volume : 212 l
- Annual Energy Consumption: 235 kWh/a
- EU19_Fast freezer facility_D: yes
- Noise Level : 35 dB

Functions

- Fixed hinge

Design features

- Full frost free, never have to defrost ever again
- LED Electronic control
- SuperFreeze functions with automatic deactivation
- Freezer malfunction warning signal: optical, acoustical

Freshness system

- Net Freezer Volume : 212 l
- Net 4* compartment volume : 212 l
- Freezing capacity 24h : 13.8 kg
- Temperature rise time : EU19_Temperature rise time_D: 8 H
- 5 transparent freezer drawers: 2 RioBox



Series 4
integrated washer dryer
WKD28260GB



Series 4
fully-integrated dishwasher, Variable hinge for special installation situations
SMH4HGX14G

- Energy Efficiency Class¹: C
- Energy² / Water³: 75 kWh / 9 litres
- Capacity: 14 place settings
- Programme duration⁴: 4:55 (h:min)
- Noise level: 46 dB(A) re 1 pW
- Noise Efficiency Class: C
- Noise level (silence programme): 45 dB(A) re 1 pW

Performance

- 6 programmes: Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65°, Silence 50 °C, Favourite
- Default favourite programme: Pre-Rinse
- 4 special options: Remote Start, Extra Dry, Half Load, SpeedPerfect+
- Machine Care
- Add-On functions via Home Connect app: Hygiene+, Silence on Demand

Innovations and technology

- Heat exchanger - Hygienic and efficient drying
- AquaSensor III
- DosageAssist detergent dispenser
- EcoSilence BLDC drive
- Self-cleaning filter system with 3 piece corrugated filter



Series 2
fully-integrated dishwasher
SPV2HKX02G

- Energy Efficiency Class¹: D
- Energy² / Water³: 67 kWh / 8.9 litres
- Capacity: 10 place settings
- Programme duration⁴: 4:35 (h:min)
- Noise level: 46 dB(A) re 1 pW
- Noise Efficiency Class: C

Performance

- 5 programmes: Eco 50 °C, Auto 45-65°, Intensive 70 °C, Express 65°, Favourite
- Default favourite programme: Pre-Rinse
- 3 special options: Remote Start, Extra Dry, SpoD VarioSpeedPlus
- Machine Care Programme
- Add-On functions via Home Connect app: Hygiene+, Silence on Demand

Innovations and technology

- Heat exchanger - Hygienic and efficient drying
- AquaSensor III
- DosageAssist detergent dispenser
- EcoSilence BLDC drive
- DuoPower spray arm in upper basket
- Self-cleaning filter system with 3 piece corrugated filter
- Stainless Steel interior



Series 4
Washing machine, front loader, max. 1400 rpm
WAN2859GB

Performance

- Energy Efficiency Class¹: A
- Energy² / Water³: 49 kWh / 50 litres
- Load capacity: 1 - 9 kg
- Programme duration⁴: 3:48 h:min
- Spin drying efficiency class: B
- Spin speed^{**}: 0 - 1400 rpm
- Noise level: 72 dB (A) re 1 pW
- Noise efficiency class: A

Programmes/functions

- Standard programmes: cottons, easy care, delicates, wool hand wash
- Iron Assist: Steam programme that reduces wrinkles on dry clothes
- Special programmes: Outdoor, Shirts, Mixed Load, Super Quick 15/30, Drum clean with reminder, jeans/dark laundry, Wool/Handwash, Delicate/Silk programme

Key features

- SpeedPerfect: perfectly clean in up to 65% less time. ***
- Touch control buttons: Prewash, Ready in, Temperature selection, Night Wash / Silent Wash, SpeedPerfect, start/pause with reload function, Spin speed reduction

Additional features



Series 2
Washing machine, front loader, max. 1400 rpm
WGE03408GB

Performance

- Energy Efficiency Class¹: A
- Energy² / Water³: 46 kWh / 47 litres
- Load capacity: 1 - 8 kg
- Programme duration⁴: 3:33 h:min
- Spin drying efficiency class: B
- Spin speed^{**}: 400 - 1400 rpm
- Noise level: 72 dB (A) re 1 pW
- Noise efficiency class: A

Programmes/functions

- Standard programmes: cottons, easy care, delicates, wool hand wash
- Special programmes: Mixed Load, Super Quick 15/30, Handwash/Wool, Delicates 30°C

Key features

- SpeedPerfect: perfectly clean in up to 65% less time. ***
- Touch control buttons: Ready in, SpeedPerfect, start/pause with reload function, Spin speed reduction

Additional features

- Reload function: Be flexible in adding laundry items even after start of the wash cycle.
- Display for programme progress indication, spin speed, remaining time,



Series 6
Washer dryer, max. 1400 rpm
WNG25401GB

Performance

- Energy Efficiency Class Wash and Dry¹: D
- Energy Efficiency Class Washing²: A
- Energy³ / Water⁴ Wash and Dry: 306 kWh / 82 litres
- Energy⁵ / Water⁶ Washing: 51 kWh / 52 litres
- Load capacity Wash and Dry / Washing: 1 - 6 kg / 1 - 10.5 kg
- Programme duration⁷ Wash and Dry / Washing: 8:40 h:min / 3:59 h:min
- Spin drying efficiency class: EU19_spin efficiency class: B
- Spin speed⁸: 400 - 1400 rpm
- Noise level: 70 dB (A) re 1 pW
- Noise efficiency class: A

Programmes/functions

- Standard programmes for washing: Cottons, Easy-Care, Delicate/Silk programme, Wool/Handwash
- Special programmes washing: Super Quick 15, Hygiene Care, Mixed Load, Drain / Spin, Single Rinse
- Most common washing programmes can be used as solo-drying programme or as washing and drying in one go programme
- Standard programmes for drying: Cottons, Easy-Care
- Special programmes drying: Refresh, Intensive dry, Low heat, Wash & Dry 60'

Key features



Series 4
Washer dryer, max. 1400 rpm
WNA134U8GB

Performance

- Energy Efficiency Class Wash and Dry¹: E
- Energy Efficiency Class Washing²: C
- Energy³ / Water⁴ Wash and Dry: 313 kWh / 70 litres
- Energy⁵ / Water⁶ Washing: 63 kWh / 41 litres
- Load capacity Wash and Dry / Washing: 1 - 5 kg / 1 - 8 kg
- Programme duration⁷ Wash and Dry / Washing: 7:30 h:min / 3:32 h:min
- Spin drying efficiency class: EU19_spin efficiency class: B
- Spin speed⁸: 400 - 1400 rpm
- Noise level: 70 dB (A) re 1 pW
- Noise efficiency class: A

Programmes/functions

- Standard programmes for washing: Cottons, Easy-Care, Delicate/Silk programme, Wool/Handwash
- Special programmes washing: Super Quick 15, Mixed Load, Drain / Spin, SportsWear, Single Rinse
- Most common washing programmes can be used as solo-drying programme or as washing and drying in one go programme
- Standard programmes for drying: Cottons, Easy-Care
- Special programmes drying: Refresh, Intensive dry, Low heat, Wash & Dry 60'



Series 4
Heat pump tumble dryer
WTH85224GB

Performance

- Energy efficiency class¹: D
- Energy²: 119 kWh
- Rated Capacity³: 8 kg
- Duration time⁴: 3:25 h:min
- Noise class: B (on a scale from A to D)
- Noise level⁵: 62 dB (A) re 1 pW
- Condensation efficiency class: C (on a scale from A to D)
- Condensation efficiency⁶: 83%

Programmes/functions

- Standard programmes: cotton, easy care
- Special programmes: Woollens, Mixed Load, Towels, Timed programme warm, Timed programme cold, Sportswear, Super Quick 40, shirts/blouses

Key features

- Touch control buttons: Low heat, Reduced ironing, Drying time, Fine-tuning for drying level, 24 h, end Time Delay

Additional features

- EasyClean filter
- Fully electronic control dial for sensor drying programmes and timed programmes



Series 2
free-standing dishwasher, Brushed steel anti-fingerprint
SMS26A108G

Performance

- Energy Efficiency Class¹: E
- Energy² / Water³: 92 kWh / 9.5 litres
- Capacity: 12 place settings
- Programme duration⁴: 3:30 (h:min)
- Noise level: 46 dB(A) re 1 pW
- Noise Efficiency Class: C
- Noise level (silence programme): 44 dB(A) re 1 pW




Programmes / functions

- 6 programmes: Intensive 70 °C, Auto 45-65 °C, Eco 50 °C, Silence 50°C, 1 hour 65°C, Pre rinse
- 3 special options: SpeedPerfect+, HygienePlus, Extra Dry
- Machine Care Programme

Flexible design elements

- Vario baskets
- Height adjustable top basket
- Rack Stopper to prevent derailing of bottom basket
- 2 foldable plate racks in bottom basket
- Cutlery basket in lower rack
- Upper rack cup shelf

Innovations and technology



Innovations and technology



Series 2
free-standing dishwasher, White
SPS2IKW01G

Performance

- Energy Efficiency Class¹: F
- Energy² / Water³: 78 kWh / 9.5 litres
- Capacity: 9 place settings
- Programme duration⁴: 3:35 (h:min)
- Noise level: 48 dB(A) re 1 pW
- Noise Efficiency Class: C

Programmes / functions

- 5 programmes: Eco 50 °C, Auto 45-65°, Intensive 70 °C, Express 65°, Favourite
- Default favourite programme: Pre-Rinse
- 3 special options: Remote Start, Extra Dry, SpoD VarioSpeed
- Add-On functions via Home Connect app: Hygiene+, Silence on Demand
- Machine Care Programme

Flexible design elements

- Normal baskets
- Height adjustable top basket
- Low friction wheels on lower basket
- Rack Stopper to prevent derailing of bottom basket
- Knife rack in top basket
- Variable cutlery basket in bottom basket



Series 2
free-standing fridge-freezer with freezer at bottom, Stainless steel look, Total No Frost
KGN27NLEAG

Performance and Consumption

- EU19_EEK_D: E
- Total Volume: 255 l
- Annual Energy Consumption: 229 kWh/a
- Noise Level: 41 dB

Functions

- Stainless steel look doors and grey side panels
- Integrated vertical handle Integrated vertical handle
- Bright interior LED fridge light

Design features

- No Frost, never have to defrost ever again
- Simple electronic
- 1 compressor

Design features

- Net Fridge Volume: 171 l
- MultiAirflow system - improves circulation of air around the fridge
- Door shelves in fridge door: 1 large and 2 small

Freshness System

- 1 MultiBox - Transparent drawer with a rippled bottom, ideal for storing fruits and vegetables.



Series 2
free-standing fridge-freezer with freezer at bottom, White, Total No Frost
KGN27NWEAG

Performance and Consumption

- No Frost, Fridge freezer
- Cambered Door, High-door design White
- EU19_EEK_D: E
- Total Volume: 255 l
- Annual Energy Consumption: 229 kWh/a
- Noise Level: 41 dB

Functions

- White doors and white side panels
- Integrated vertical handle Integrated vertical handle
- Bright interior LED fridge light

Design features

- No Frost, never have to defrost ever again
- Simple electronic
- 1 compressor

Design features

- Net Fridge Volume: 171 l
- MultiAirflow system - improves circulation of air around the fridge
- Door shelves in fridge door: 1 large and 2 small



Series 2
Free-standing microwave, Stainless steel
FFL020MS2B

Design

- Cavity inner surface: lacquered grey
- User-friendly electronics: extremely easy and comfortable operation
- Rotary dial With Steel Trim
- LED light
- Side opening door, left hinged

Features

- Automatic safety switch off
- Door contact switch
- Integral cooling fan
- 27 cm Glass turntable
- open door button
- Cavity volume: 20 l

Cleaning

- Cleaning Assistance: hydrolyse manual

Programmes/functions

- 90-180-360-600-800 Watts and the following options: 180 W, 360 W, 600 W, 800 W, 90 W

Technical information

- 130 cm Cable length