


# Siemens Home Appliances

BSH Group is a Trademark Licensee of Siemens AG



**SIEMENS**



#### **IQ700** Built-in oven, Black HB776G1B1B

##### **Features**

- Oven with 14 heating methods: 4D hot air, conventional, hot air grilling, full width grill, half width grill, Pizza Setting, coolStart, bottom heat, low temperature cooking, keep warm, plate warming, Hotair gentle, Conventional heat gentle, Air fry
- Temperature range 30 °C - 275 °C
- Cavity volume: 71 litres
- 5 shelf positions
- Cavity with shelf support rails, pyrolytic proof

##### **Design**

- Touch control With Steel Trim
- Cavity inner surface: enamel anthracite

##### **Cleaning**

- activeClean
- hydrolyse program
- Full glass inner door

##### **Programmes/functions**

- Oven Assistant with Voice Control
- SE62
- Electronic oven clock timer
- Automatic temperature proposal

#### **IQ500** Built-in oven, Stainless steel HB576GB57B

##### **Features**

- Oven with 8 main functions, 8 main functions heating methods: 3D hot air cooking, conventional, hot air grilling, full width grill, Pizza Setting, coolStart, low temperature cooking, keep warm, plate warming, Hotair gentle
- Heating methods only via Home Connect App: air fry, bottom heating, let rest, preheating
- Temperature range 30 °C - 275 °C
- Cavity volume: 71 litres

##### **Level independent telescopic rails**

- 5 shelf positions
- Cavity with shelf support rails

##### **Design**

- Stainless steel control dial, lightControl: intuitive operation thanks to the illuminated dials, round With Steel Trim
- Cavity inner surface: enamel anthracite

##### **Cleaning**

- activeClean
- Full glass inner door

##### **Programmes/functions**

- LCD Display (White)
- Electronic oven clock timer

#### **IQ700** Built-in oven, Black HB776G1B1B

##### **Features**

- Oven with 14 heating methods: 4D hot air, conventional, hot air grilling, full width grill, half width grill, Pizza Setting, coolStart, bottom heat, low temperature cooking, keep warm, plate warming, Hotair gentle, Conventional heat gentle, Air fry
- Temperature range 30 °C - 275 °C
- Cavity volume: 71 litres

##### **Level independent telescopic rails**

- 5 shelf positions
- Cavity with shelf support rails

##### **Design**


- Touch control With Steel Trim
- Cavity inner surface: enamel anthracite

##### **Cleaning**

- EcoCleanDirect : back panel
- hydrolyse program
- Full glass inner door

##### **Programmes/functions**

- Oven Assistant with Voice Control
- SE62
- Electronic oven clock timer



#### **IQ500** Built-in oven, Stainless steel HB576GB57B

##### **Features**

- Oven with 7 PC heating methods: 3D hot air cooking, conventional, hot air grilling, full width grill, Pizza Setting, bottom heat, Hotair gentle
- Temperature range 50 °C - 275 °C
- Cavity volume: 71 litres

##### **Level independent telescopic rails**

- 5 shelf positions
- Cavity with shelf support rails

##### **Design**

- Stainless steel control dial, lightControl: intuitive operation thanks to the illuminated dials, round With Steel Trim
- Cavity inner surface: enamel anthracite

##### **Cleaning**

- EcoCleanDirect : back panel
- Full glass inner door

##### **Programmes/functions**

- LCD Display (white)
- Electronic oven clock timer
- Heating-up indicator
- cookControl Automatic start
- cookControl 10

#### **IQ700** Built-in compact oven with microwave function, Black CM776G1B1B

##### **Features**

- Compact oven with microwave with 20 heating methods: conventional, full width grill, half width grill, coolStart, bottom heat, low temperature cooking, keep warm, plate warming, Conventional heat gentle, Microwave, 4D Hot air, Conventional heat, Full width grill, Half width grill, Hot air grilling
- Max. Power: 900 W; 5 Microwave power settings (90 W, 180 W, 360 W, 600 W, boost) with Inverter (MW)
- Intelligent microwave inverter technology: For optimised results maximum output power will be regulated to 600 W when used in longer operation for gentler cooking.
- Temperature range 30 °C - 275 °C
- Cavity volume: 45 litres

##### **Level independent telescopic rails**

- 3 shelf positions

##### **Design**

- Touch control With Steel Trim
- Cavity inner surface: enamel anthracite

##### **Cleaning**

- activeClean
- hydrolyse program

#### **IQ500** Built-in microwave oven with hot air, Stainless steel CM586AGS1B

##### **Features**


- Built-In Microwave with hot air function with the heating functions: Microwave, Hot Air Standard, hot air grilling, full width grill, plate warming
- Maximum microwave power level: 900 W and the following options: 180 W, 360 W, 600 W, 90 W, 900 W
- Temperature range 40 °C - 230 °C
- 1.75 KW grill function
- Grill and microwave power levels 90 W, 180 W, 360 W, 600 W combinable
- Microwave may be used separately or in combination
- Cavity volume: 44 l

##### **Design**

- lightControl: intuitive operation thanks to the illuminated dials
- stainless steel, Stainless steel cavity with glass base cavity with Stainless steel cavity with glass base, stainless steel

##### **Cleaning**

- Programmes/functions
- LCD display, White display with blue indicator lights
- Electronic oven clock timer
- lightControl: intuitive operation thanks to the illuminated dials, Touch



#### **IQ500** Built-in microwave, Black BF525LMB1B

##### **Features**

- Maximum microwave power level: 800 W and the following options: 180 W, 360 W, 600 W, 800 W, 90 W
- Cavity volume: 20 l

##### **Design**

- Cavity inner surface: stainless steel

##### **Cleaning**

##### **Programmes/functions**

- LED display, White display with blue indicator lights
- Electronic oven clock timer
- Touch control, touchSlider, Start button With Steel Trim
- User-friendly electronics: extremely easy and comfortable operation
- cookControl, 7
- 4 defrost and 3 cooking programmes in microwave function
- 1 memory setting
- LED light
- 25.5 cm Glass turntable
- Left hinged door
- Open door button
- Touch key operation



#### **IQ300** Induction hob with integrated ventilation system, surface mount without frame ED811BS16E

##### **Flexibility of cooking zones**

- combiZone : use bigger cookware by connecting two classic cooking zones into one large zone.
- Cooking zone front left: 190 mm, 210 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone rear left: 190 mm, 210 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone rear right: 180 mm, 1.8 KW (max power 3.1 KW)
- Cooking zone front right: 210 mm, 2.2 KW (max. power 3.7 KW)

##### **Usage convenience**

- touchControl: control the power with imprinted +/- touch buttons.
- 17 power levels: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).
- Switch-off timer: switches off the cooking zone at the end of the time set (e.g. for boiled eggs).
- Count-down timer: an alarm sounds at the end of the time set (e.g. for pasta).

##### **Time saving & efficiency**

- Power boost setting : boil water faster thanks to 50% more energy than at the highest



#### **IQ500** Induction hob, surface mount without frame ED851HWB1E


- 80 cm: space for 5 pots or pans.

##### **Flexibility of cooking zones**

- combiZone : use bigger cookware by connecting two classic cooking zones into one large zone.
- Cooking zone front left: 180 mm, 2 KW (max. power 3.1 KW)
- Cooking zone rear left: 145 mm, 1.6 KW (max. power 2.2 KW)
- Cooking zone middle: 240 mm, 2.5 KW (max. power 3.7 KW)
- Cooking zone rear right: 190 mm, 210 mm, 2.5 KW (max power 3.7 KW)
- Cooking zone front right: 190 mm, 210 mm, 2.5 KW (max. power 3.7 KW)

##### **Usage convenience**

- Multitouch+: directly control the power with the imprinted touch bar.
- Favourite Button: directly access favourite functions with a configurable button (available with connected Home Connect account).
- 17 power levels: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).
- Keep warm function: via HC app/MyButton: Keep dishes warm at preset low power level.
- Switch-off timer: switches off the cooking zone at the end of the time set (e.g. for boiled eggs)



#### **IQ100** Induction hob, surface mount without frame EU611BEB5E

- 60 cm: space for 4 pots or pans.

##### **Flexibility of cooking zones**

- Cooking zone front left: 180 mm, 1.8 KW (max. power 3.1 KW)
- Cooking zone rear left: 180 mm, 1.8 KW (max. power 3.1 KW)
- Cooking zone rear right: 145 mm, 1.4 KW (max power 2.2 KW)
- Cooking zone front right: 210 mm, 2.2 KW (max. power 3.7 KW)

##### **Usage convenience**

- touchControl: control the power with imprinted +/- touch buttons.
- 17 power levels: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).
- Switch-off timer: switches off the cooking zone at the end of the time set (e.g. for boiled eggs).
- Count-down timer: an alarm sounds at the end of the time set (e.g. for pasta).

##### **Time saving & efficiency**

- Power boost setting : boil water faster thanks to 50% more energy than at the highest standard level.
- quickStart function: when switching on, the hob automatically selects the cooking zone with cookware (when placed on a zone whilst the hob is off).



#### **IQ100** Electric hob, surface mount without frame ET61RBEA1E

##### **Flexibility of cooking zones**

- Cooking zone front left: 145 mm, 1.2 KW
- Cooking zone rear left: 180 mm, 2 KW
- Cooking zone rear right: 145 mm, 1.2 KW
- Cooking zone front right: 210 mm, 2.2 KW

##### **Usage convenience**

- touchControl: control the power with imprinted +/- touch buttons.
- 17 power levels: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).

##### **Time saving & efficiency**

- reStart function: in case of unintentional switch-off, this feature restores all previous settings by switching on the hob again within 4 seconds
- quickStop: quickly switch off a cooking zone with one longer touch.

##### **Design**

- 60 cm: space for 4 pots or pans.
- frameless design

##### **Safety**

- 2 stage residual heat indicators: indicates which cooking zones are still hot or warm.
- Control panel lock: prevent unintended activation of the hob.
- Main on/off switch: switch off all cooking zones at the touch of a button.



#### **IQ700** Flex induction cooktop, surface mount with frame EX375FXB1E

##### **Design**

- Stainless Steel side trim with bevelled front edge
- 30 cm: space for 2 pots or pans.

##### **Flexibility of cooking zones**

- flexInduction zone: use cookware of any shape or size anywhere within the 40cm long zone.
- Cooking zone middle: 210 mm, 200 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone middle: 210 mm, 200 mm, 2.2 KW (max. power 3.7 KW)

##### **Usage convenience**

- touchSlider: directly control the power with imprinted touch bar.
- 17 power levels: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).

##### **Timer for all zones**

- : switches off the cooking zone at the end of the time set (e.g. for boiled eggs).
- Acoustic Signal : an alarm sounds at the end of the time set (e.g. for pasta).
- Count up timer : shows how much time has passed since starting the timer (e.g. for potatoes).

##### **Time saving & efficiency**



B A<sup>++</sup>  
B A<sup>+</sup>

**IQ300**  
Wall-mounted cooker hood, Matt black  
LC95BCC60B

**Design:**

- Box design
- wall-mounted
- Suitable for ducted and re-circulating operation

**Core Features:**

- Capacitor energy efficient
- 2 x LED 1.5W
- Colour Temperature: 3500 K
- Light Intensity: 265 lux
- 3 metal grease filter(s).

**Comfort Features:**

- Push button control for extractor speeds and light
- 3 x power levels

**Cleaning Comfort:**

- Easy to clean smooth surfaces and materials.
- Steel filter cover dishwasher-safe
- Coated surfaces for less fingerprint sensitivity

**Exhaust Mode:**

- According to EN 61591 and EN/ IEC 60704-2-13 your appliance can achieve the following values in exhaust mode:  
Speed 1: extraction rate 361 m<sup>3</sup>/h; noise level 57 dB(A) re1pW



B A<sup>++</sup>  
B A<sup>+</sup>

**IQ300**  
Wall-mounted cooker hood, Matt black  
LC65BCC60B

**Design:**

- Box design
- wall-mounted
- Suitable for ducted and re-circulating operation

**Core Features:**

- Capacitor energy efficient
- 2 x LED 1.5W
- Colour Temperature: 3500 K
- Light Intensity: 293 lux
- 2 metal grease filter(s).

**Comfort Features:**


- Push button control for extractor speeds and light
- 3 x power levels

**Cleaning Comfort:**

- Easy to clean smooth surfaces and materials.
- Steel filter cover dishwasher-safe
- Coated surfaces for less fingerprint sensitivity

**Exhaust Mode:**

- According to EN 61591 and EN/ IEC 60704-2-13 your appliance can achieve the following values in exhaust mode:  
Speed 1: extraction rate 361 m<sup>3</sup>/h; noise level 57 dB(A) re1pW



A A<sup>++</sup>  
A A<sup>+</sup>  
Online

**IQ300**  
Telescopic cooker hood, Silver metallic  
LI94MA531B

**Features**

- Soft touch button control with Electronic display
- 3 x power levels plus intensive setting
- 3 x 1.5W LED
- Efficient BLDC motor
- Automatic intensive revert (6mins)
- Automatic after running (10 minutes)
- 3 x metal grease filter cassettes - dishwasher safe

**Design**

- 90 cm wide
- Silver metallic lacquer
- Handle strip specification: stainless steel with logo
- Filter cover stainless steel, perforated and dishwasher safe

**Performance**

- Suitable for ducted and re-circulating operation
- For recirculated extraction recirculating kit (accessory) needed
- Energy Efficiency Class: A (at a range of energy efficiency classes from A+++ to D)
- Extraction rate according to EN 61591 ø 15 cm:  
max. Normal use 266m<sup>3</sup>/h  
Intensive 412 m<sup>3</sup>/h
- Noise level according to EN 60704-3 and EN 60704-2-13 at max



A A<sup>++</sup>  
A A<sup>+</sup>  
Online

**IQ300**  
Telescopic cooker hood, Silver metallic  
LI64MA531B

**Features**

- Soft touch button control with Electronic display
- 3 x power levels plus intensive setting
- 2 x 1.5W LED
- Efficient BLDC motor
- Automatic intensive revert (6mins)
- Automatic after running (10 minutes)
- 2 x metal grease filter cassettes

**Design**

- 60 cm wide
- Silver metallic lacquer
- Handle strip specification: stainless steel with logo
- Filter cover stainless steel, perforated and dishwasher safe

**Performance**

- Suitable for ducted and re-circulating operation
- For recirculated extraction recirculating kit (accessory) needed
- Energy Efficiency Class: A (at a range of energy efficiency classes from A+++ to D)
- Extraction rate according to EN 61591 ø 15 cm:  
max. Normal use 268m<sup>3</sup>/h  
Intensive 400 m<sup>3</sup>/h
- Noise level according to EN 60704-3 and EN 60704-2-13 at max



A A<sup>++</sup>  
A A<sup>+</sup>  
varisilange  
autoOpen dry  
glassZone  
side light

**IQ500**  
fully-integrated dishwasher, varioHinge  
SN95EX12CG

**Performance**

- Energy Efficiency Class<sup>1</sup>: A
- Energy<sup>2</sup> / Water<sup>3</sup>: 54 kWh / 9 litres
- Capacity: 14 place settings
- Programme duration<sup>4</sup>: 4:30 (h:min)
- Noise level: 42 dB(A) re 1 pW
- Noise Efficiency Class: B
- Noise level (silence programme): 41 dB(A) re 1 pW

**Programmes/functions**

- 7 programmes: Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Speed 60°, Glass 40 °C, Silence 50 °C, Favourite
- Default favourite programme: Pre-Rinse
- 4 special options: Remote Start, intensiveZone, Half Load, Speed on Demand - varioSpeed Plus
- Machine care programme
- Add-On functions via Home Connect app: Hygiene Plus, Quick S, Silence on Demand

**Flexible design elements**

- flexComfort basket system with blue coloured touchpoints
- varioDrawer - loading of cutlery on 3rd level
- 3 stage rackMatic height-adjustable top basket
- Low friction wheels on lower basket



C A<sup>++</sup>  
A A<sup>+</sup>  
varisilange  
info light

**IQ300**  
fully-integrated dishwasher, varioHinge  
SN73HX03VG

**Performance**

- Energy Efficiency Class<sup>1</sup>: C
- Energy<sup>2</sup> / Water<sup>3</sup>: 75 kWh / 9 litres
- Capacity: 14 place settings
- Programme duration<sup>4</sup>: 4:55 (h:min)
- Noise level: 46 dB(A) re 1 pW
- Noise Efficiency Class: C

**Programmes/functions**

- 6 programmes: Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Speed 65 °C, Speed 45 °C, Favourite
- Default favourite programme: Pre-Rinse
- 4 special options: Remote Start, intensiveZone, Half Load, Speed on Demand - varioSpeed Plus
- Machine care programme
- Add-On functions via Home Connect app: Hygiene Plus, Silence on Demand

**Flexible design elements**

- Heat exchanger - Hygienic and efficient drying
- hydroSensor
- dosageAssist detergent dispenser
- iQDrive motor
- Self-cleaning filter system with 3 piece corrugated filter



**IQ100**  
fully-integrated dishwasher  
SN61HX02TG

**Performance**

- Energy Efficiency Class<sup>1</sup>: D
- Energy<sup>2</sup> / Water<sup>3</sup>: 84 kWh / 9 litres
- Capacity: 13 place settings
- Programme duration<sup>4</sup>: 4:30 (h:min)
- Noise level: 46 dB(A) re 1 pW
- Noise Efficiency Class: C

**Programmes/functions**

- 5 programmes: Eco 50 °C, Auto 45-65°, Intensive 70 °C, Speed 65 °C, Favourite
- Default favourite programme: Pre-Rinse
- 4 special options: Remote Start, intensiveZone, Half Load, Speed on Demand - varioSpeed Plus
- Add-On functions via Home Connect app: Hygiene Plus, Silence on Demand
- Machine care programme

**Flexible design elements**

- vario baskets
- Height adjustable top basket
- Low friction wheels on lower basket
- Rack Stopper to prevent derailing of bottom basket
- 2 foldable plate racks in bottom basket



**IQ300**  
fully-integrated dishwasher, varioHinge  
SR93EX25MG

**Performance**

- Energy Efficiency Class<sup>1</sup>: B
- Energy<sup>2</sup> / Water<sup>3</sup>: 51 kWh / 8.7 litres
- Capacity: 10 place settings
- Programme duration<sup>4</sup>: 3:55 (h:min)
- Noise level: 44 dB(A) re 1 pW
- Noise Efficiency Class: B

**Programmes/functions**

- 6 programmes: Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Speed 60°, Speed 45 °C, Favourite
- Default favourite programme: Pre-Rinse
- 4 special options: Remote Start, intensiveZone, HygienePlus, Speed on Demand - varioSpeed Plus
- Add-On functions via Home Connect app: Silence on Demand
- Machine care programme

**Flexible design elements**

- varioFlex basket system
- varioDrawer with flex lines
- 3 stage rackMatic height-adjustable top basket
- Low friction wheels on lower basket
- Anti-slip protection strips in upper basket
- Rack Stopper to prevent derailing of bottom basket



**IQ500**  
Built-in wine cooler  
KU20VHFOG

**Performance**

- Wine storage cabinet, Built-under appliance
- Built-in fridge
- glass
- Triple glazed door, UV-filter

**Design features**

- Illumination fridge: LED with Soft Start
- Illumination on/off: Yes
- Presenter Lighting: Yes
- Optical and acoustical door open warning system
- Child lock
- Active cooling - quick and even temperature distribution on all shelf levels (interior fan)

**Design features**

- Number of Temperature Zones: 1
- Temperature range: 5-20 °C
- 4 PC bottle shelves for 0,75 l
- No wooden grills in fridge: 3 PC
- Design of shelves: Standard shelf

**Key features - Fridge section**

- Ventilation in plinth, the plinth size can be varied



**IQ100**  
built-in fridge-freezer with freezer at bottom, flat hinge  
KU85NFEOG

**Performance and Consumption**

- EU19\_EEK\_D: E
- Total Volume : 249 l
- Annual Energy Consumption: 239 kWh/a
- Noise Level : 39 dB

**Functions**

- Bright interior LED fridge light
- Built-in fridge freezer

**Design features**

- noFrost freezer, never have to defrost ever again
- EU19\_Fast freezer facility\_D: yes
- Electronic control (LED chain)
- superCool function with automatic deactivation
- Optical and acoustical door open warning system
- Automatic defrost in fridge section

**Design features**

- 3 safety glass shelves of which 2 are height adjustable
- Door shelves in fridge door: 1 large and 1 small

**Freshness System**

- 1 vegetable/salad container



**IQ100**  
built-in fridge-freezer with freezer at bottom, sliding hinge  
KU87VNSEOG

**Performance and Consumption**

- EU19\_EEK\_D: E
- Total Volume : 270 l
- Annual Energy Consumption: 216 kWh/a
- EU19\_Fast freezer facility\_D: yes
- Noise Level : 35 dB

**Functions**

- Bright interior LED fridge light

**Design features**




- Electronic control (LED chain)
- superCool function with automatic deactivation
- Acoustic open door warning system

**Design features**

- Net Fridge Volume : 200 l
- 5 safety glass shelves of which 4 are height adjustable
- Door shelves in fridge door: 1 large and 3 small

**Freshness System**

- 1 vegetable/salad container





**E** **A** **G**  
LED lighting superCooling SafetyGlass

**iQ100**  
built-in fridge, sliding hinge  
KI61RNSE0G

- Built-in fridge
- easy Installation
- Sliding hinge - Easy installation, softClosing door: No

**Performance and Consumption**

- EU19\_EEK\_D: E
- Total Volume : 310 l
- Net Fridge Volume : 310 l
- Annual Energy Consumption: 114 kWh/a
- Noise Level : 35 dB

**Functions**

- Bright interior LED fridge light

**Design features**

- Electronic control (LED chain)
- superCool function with automatic deactivation

**Design features**

- 7 safety glass shelves in fridge compartment of which 5 are height adjustable
- 2 removable door storage compartments.

**Freshness System**

- 2 vegetable/salad containers



**E** **A** **G**  
noFrost Crystallization Intelligent Inverter compressor

**iQ300**  
built-in freezer, flat hinge  
GI81NVEE0G

- No Frost, Built-in tall freezer
- Fixed hinge

**Performance and Consumption**

- EU19\_EEK\_D: E
- Total Volume : 212 l
- Annual Energy Consumption: 235 kWh/a
- EU19\_Fast freezer facility\_D: yes
- Noise Level : 35 dB

**Functions**

**Design features**

- No Frost, never have to defrost ever again
- Fixed hinge
- 1 compressor/1 cooling circuit
- SuperFreeze functions with automatic deactivation
- Freezer malfunction warning signal: optical, acoustical

**Freezer Section**

- Net Freezer Volume : 212 l
- Net 4\* compartment volume : 212 l
- Freezing capacity 24h : 13.8 kg
- Temperature rise time : EU19\_Temperature rise time\_D: 8 H
- 2 hinged freezer compartment



**iQ300**  
integrated washer dryer  
WK14D260GB